

QUICK START GUIDE


TLEB301

Version: 1.0

Date: November 2023

1 Packing List

Please confirm that the package contains the following items:



Device



Quick Start Guide



Cable




Back Plate



Screws and Anchors


2 Appearance




3 Installation

Mounting on the wall through Asian gang box


- ① Install the Asian gang box into the wall at a recommended height is 1.4 to 1.5 m above the ground, which can be adjusted as necessary.
- ② Fix the back plate onto the Asian gang box using two wall mounting screws.
- ③ Insert the cables through the wire hole.
- ④ Insert the device into back plate.
- ⑤ Use a security screw to fasten the device to the back plate.




4 Terminal Block



5 Connect to the Access Control Device



6 Remote Alignment



Description:

1. The TLEB301 supports remote control. Users need to purchase **433MHz remote control** to enable remote opening functionality.
2. Set the code status indicator on the mainboard and observe its status through the mounting hole at the bottom.
3. Users can also autonomously code the remote control by following steps (this series can code up to 6 remote controls).

Alignment:

1. After the device is powered on, press and hold the **Study Button** for 3 seconds to enter the code alignment studying mode. When the code alignment status indicator turns off, press the button on the remote control.
2. The studying time is 10 seconds. When the time expires, the device automatically exits the code studying state, and you need to repeat the previous steps again.


Clear:

1. Press and hold the **Study Button** for at least 8 seconds. If the status indicator blinks three times, it indicates that the code has been successfully cleared.
2. Note that all paired remote controls will be cleared.

Note: Remote control is not standard, please order separately if you need it.

7 Operation Instruction

After correctly installing and connecting the device, the user only needs to touch the panel, and the LED indicator turns green to open the door, or press the remote control switch button within the effective range to open the door remotely.



*All the pictures in this guide are for reference only, please refer to the actual purchase.

Green Label

ZKTeco Industrial Park, No. 32, Industrial Road,
Tangxia Town, Dongguan, China.

Phone : +86 769 - 82109991

Fax : +86 755 - 89602394

www.zkteco.com



Copyright © 2023 ZKTECO CO., LTD. All Rights Reserved.